

Author index

Aas, V., Rokling-Andersen, M., Wensaas, A.J., Thoresen, G.H., Kase, E.T. & Rustan, A.C. Lipid metabolism in human skeletal muscle cells: effects of palmitate and chronic hyperglycaemia, 31

Andersson, A. *see* Jansson, L.

Aravindan, N., Williams, M.T., Riedel, B.J.C.J. & Shaw, A.D. Transcriptional responses of rat skeletal muscle following hypoxia-reoxygenation and near ischaemia-reperfusion, 367

Arias, E.B. & Cartee, G.D. Relationship between protein O-linked glycosylation and insulin-stimulated glucose transport in rat skeletal muscle following calorie restriction or exposure to *O*-(2-acetamido-2-deoxy-D-glucopyranosylidene)amino-N-phenylcarbamate, 281

Bądzynska, B. *see* Walkowska, A.

Bak, Z. *see* Rousseau, A.

Barnekow-Bergkvist, M. *see* Bergfors, M.

Bashan, N. *see* Rudich, A.

Benito, M. *see* Valverde, A.M.

Ben-Romano, R. *see* Rudich, A.

Bergfors, M., Barnekow-Bergkvist, M., Kalezic, N., Lyskov, E. & Eriksson, J.W. Short-term effects of repetitive arm work and dynamic exercise on glucose metabolism and insulin sensitivity, 345

Bernard, J.R., Crain, A.M., Rivas, D.A., Herr, H.J., Reeder, D.W. & Yaspelkis III, B.B. Chronic aerobic exercise enhances components of the classical and novel insulin signalling cascades in Sprague-Dawley rat skeletal muscle, 357

Biaggioni, I., Robertson, D., Eckberg, D.L. for the Neurolab Investigators Reply, 334

Birch, K.M. *see* Morse, C.I.

Blangsted, A.K., Vedsted, P., Sjogaard, G. & Sogaard, K. Intramuscular pressure and tissue oxygenation during low-force static contraction do not underlie muscle fatigue, 379

Bodin, B. *see* Jansson, L.

Boon, N. *see* Schrauwen, P.

Booth, F.W. *see* Machida, S.

Boudreau, J. *see* Quadrilatero, J.

Bove, M., Ruth, M., Lundell, L. & Ny, L. Epithelial barrier integrity and intraluminal nitric oxide production in response to acid perfusion of the ferret oesophagus, 211

Bulhak, A.A., Gourine, A.V., Gonon, A.T., Sjöquist, P.-O., Valen, G. & Pernow, J. Oral pre-treatment with rosuvastatin protects porcine myocardium from ischaemia/reperfusion injury via a mechanism related to nitric oxide but not to serum cholesterol level, 151

Carlsson, P.-O. *see* Jansson, L.

Cartee, G.D. *see* Arias, E.B.

Carter, A.M. *see* Jensen, R.I.

Cheung, S.S. *see* Geurts, C.L.M.

Cholewa, B.C., Meister, C.J. & Mattson, D.L. Importance of the renin-angiotensin system in the regulation of arterial blood pressure in conscious mice and rats, 309

Christensen, N.J. & Norsk, P. The fallacy of plasma norepinephrine spillover measurements, 333

Clausen, T. & Gissel, H. Role of Na^+/K^+ pumps in restoring contractility following loss of cell membrane integrity in rat skeletal muscle, 263

Crain, A.M. *see* Bernard, J.R.

Diel, P. *see* Matsakas, A.

Drust, B., Rasmussen, P., Mohr, M., Nielsen, B. & Nybo, L. Elevations in core and muscle temperature impairs repeated sprint performance, 181

Dugas, J.P. *see* Saunders, A.G.

Eckberg, D.L. *see* Biaggioni, I.

Eriksson, J.W. *see* Bergfors, M.

Eriksson, J.W. *see* Giorgino, F.

Eriksson, L. *see* Kaikkonen, M.

Etzion, S. *see* Rudich, A.

Fraga, S. *see* Magro, F.

Friedel, A. *see* Matsakas, A.

Furuya, H. *see* Saiki, C.

Gerdle, B. *see* Sandberg, M.

Geurts, C.L.M., Sleivert, G.G. & Cheung, S.S. Local cold acclimation of the hand impairs thermal responses of the finger without improving hand neuromuscular function, 117

Giorgino, F., Laviola, L. & Eriksson, J.W. Regional differences of insulin action in adipose tissue: insights from *in vivo* and *in vitro* studies, 13

Gissel, H. *see* Clausen, T.

Gonon, A.T. *see* Bulhak, A.A.

Gourine, A.V. *see* Bulhak, A.A.

de Gritz, B. *see* Kaikkonen, M.

Guan, J. *see* Quadrilatero, J.

Gumà, A. *see* Zorzano, A.

Handberg, A. *see* Zierath, J.R.

Harlén, M. *see* Sörgård, P.

Herr, H.J. *see* Bernard, J.R.

Hertrampf, T. *see* Matsakas, A.

Hesselink, M.K.C. *see* Schrauwen, P.

Hoffman-Goetz, L. *see* Quadrilatero, J.

Hoh, J.F.Y. Laryngeal muscle fibre types, 133

Hori, S. *see* Nakagaki, I.

Hwang, P.H. *see* Kim, J.C.

Janerot-Sjöberg, B. *see* Rousseau, A.

Jansson, L., Carlsson, P.-O., Bodin, B., Andersson, A. & Källskog, Ö. Neuronal nitric oxide synthase and splanchnic blood flow in anaesthetized rats, 257

Jensen, B.I. *see* Jensen, R.I.

Jensen, J. *see* Zierath, J.R.

Jensen, R.I., Carter, A.M., Skott, O. & Jensen, B.I. Adrenomedullin expression during hypoxia in fetal sheep, 219

Johns, E.J. *see* Walkowska, A.

Kaikkonen, M., de Gritz, B. & Eriksson, L. Short-term distribution of ^{134}Cs in relation to ^{51}Cr -EDTA after intravenous dose in goats, 321

Kalezic, N. *see* Bergfors, M.

Källskog, Ö. *see* Jansson, L.

Kase, E.T. *see* Aas, V.

Kawano, F. *see* Kim, J.C.

Kim, C.K. *see* Kim, J.C.

Kim, H.J. *see* Kim, J.C.

Kim, J.C., Yi, H.K., Hwang, P.H., Yoon, J.S., Kim, H.J., Kawano, F., Ohira, Y. & Kim, C.K. Effects of cold-water immersion on VEGF mRNA and protein expression in heart and skeletal muscles of rats, 389

Kompanowska-Jezierska, E. *see* Walkowska, A.

Kuhlmann, C.R.W., Most, A.K., Li, F., Münz, B.M., Schaefer, C.A., Walther, S., Raedle-Hurst, T., Waldecker, B., Piper, H.M., Tillmanns, H. & Wiecha, J. Endothelin-1-induced proliferation of human endothelial cells depends on activation of K^+ channels and Ca^{2+} influx, 161

Lambert, M.I. *see* Saunders, A.G.

Laviola, L. *see* Giorgino, F.

Li, F. *see* Kuhlmann, C.R.W.

Lindberg, L.-G. *see* Sandberg, M.

Lorenzo, M. *see* Valverde, A.M.

Lundell, L. *see* Bove, M.

Lyskov, E. *see* Bergfors, M.

Machida, S. & Booth, F.W. Changes in signalling molecule levels in 10-day hindlimb immobilized rat muscles, 171

Magro, F., Fraga, S., Ribeiro, T. & Soares-da-Silva, P. Regional intestinal adaptations in Na^+, K^+ -ATPase in experimental colitis and the contrasting effects of interferon- γ , 191

Marra, S. *see* Quadrilatero, J.

Matsakas, A., Friedel, A., Hertrampf, T. & Diel, P. Short-term endurance training results in a muscle-specific decrease of myostatin mRNA content in the rat, 299

Matsumoto, S. *see* Saiki, C.

Mattson, D.L. *see* Cholewa, B.C.

Meister, C.J. *see* Cholewa, B.C.

Mohr, M. *see* Drust, B.

Moonen-Kornips, E. *see* Schrauwen, P.

Morse, C.I., Thom, J.M., Birch, K.M. & Narici, M.V. Changes in triceps surae muscle architecture with sarcopenia, 291

Most, A.K. *see* Kuhlmann, C.R.W.

Münz, B.M. *see* Kuhlmann, C.R.W.

Nakagaki, I., Sasaki, S., Yahata, T., Takasaki, H. & Hori, S. Cytoplasmic and mitochondrial Ca^{2+} levels in brown adipocytes, 89

Narici, M.V. *see* Morse, C.I.

Nielsen, B. *see* Drust, B.

Nilsson, P. *see* Sörgård, P.

Noakes, T.D. *see* Saunders, A.G.

Norsk, P. *see* Christensen, N.J.

Ny, L. *see* Bove, M.

Nybo, L. *see* Drust, B.

Ohira, Y. *see* Kim, J.C.

Palacin, M. *see* Zorzano, A.

Pernow, J. *see* Bulhak, A.A.

Piper, H.M. *see* Kuhlmann, C.R.W.

Quadrilatero, J., Guan, J., Boudreau, J., Marra, S. & Hoffman-Goetz, L. Polyethylene glycol but not mifepristone prevents intestinal lymphocyte loss following treadmill exercise in mice, 201

Raedle-Hurst, T. *see* Kuhlmann, C.R.W.

Rasmussen, P. *see* Drust, B.

Reeder, D.W. *see* Bernard, J.R.

Ribeiro, T. *see* Magro, F.

Riedel, B.J.C.J. *see* Aravindan, N.

Rivas, D.A. *see* Bernard, J.R.

Robertson, D. *see* Biaggioni, I.

Rokling-Andersen, M. *see* Aas, V.

Rousseau, A., Bak, Z., Janerot-Sjöberg, B. & Sjöberg, F. Acute hyperoxaemia-induced effects on regional blood flow, oxygen consumption and central circulation in man, 231

Rudich, A., Ben-Romano, R., Etzion, S. & Bashan, N. Cellular mechanisms of insulin resistance, lipodystrophy and atherosclerosis induced by HIV protease inhibitors, 75

Russell, A.P. *see* Schrauwen, P.

Rustan, A.C. *see* Aas, V.

Ruth, M. *see* Bove, M.

Sadowski, J. *see* Walkowska, A.

Saiki, C., Seki, N., Furuya, H. & Matsumoto, S. The acute effects of insulin on the cardiorespiratory responses to hypoxia in streptozotocin-induced diabetic rats, 107

Sandberg, M., Zhang, Q., Styf, J., Gerdle, B. & Lindberg, L.-G. Non-invasive monitoring of muscle blood perfusion by photoplethysmography: evaluation of a new application, 335

Sasaki, S. *see* Nakagaki, I.

Saunders, A.G., Dugas, J.P., Tucker, R., Lambert, M.I. & Noakes, T.D. The effects of different air velocities on heat storage and body temperature in humans cycling in a hot, humid environment, 241

Schaefer, C.A. *see* Kuhlmann, C.R.W.

Schrauwen, P., Russell, A.P., Moonen-Kornips, E., Boon, N. & Hesselink, M.K.C. Effect of 2 weeks of endurance training on uncoupling protein 3 content in untrained human subjects, 273

Seki, N. *see* Saiki, C.

Shaw, A.D. *see* Aravindan, N.

Shepherd, P.R. Mechanisms regulating phosphoinositide 3-kinase signalling in insulin-sensitive tissues, 3

Sjöberg, F. *see* Rousseau, A.

Sjøgaard, G. *see* Blangsted, A.K.

Sjöquist, P.-O. *see* Bulhak, A.A.

Skott, O. *see* Jensen, R.I.

Sleivert, G.G. *see* Geurts, C.L.M.

Soares-da-Silva, P. *see* Magro, F.

Sogaard, K. *see* Blangsted, A.K.

Sörgård, P., Harlén, M., Svensson, L.T., Zierath, J.R. & Nilsson, P. Integration of mathematical and experimental approaches to resolve insulin signalling, 125

Styf, J. *see* Sandberg, M.

Svensson, L.T. *see* Sörgård, P.

Takasaki, H. *see* Nakagaki, I.

Thom, J.M. *see* Morse, C.I.

Thoresen, G.H. *see* Aas, V.

Tillmanns, H. *see* Kuhlmann, C.R.W.

Tucker, R. *see* Saunders, A.G.

Valen, G. *see* Bulhak, A.A.

Valverde, A.M., Benito, M. & Lorenzo, M. The brown adipose cell: a model for understanding the molecular mechanisms of insulin resistance, 59

Vedsted, P. *see* Blangsted, A.K.

Waldecker, B. *see* Kuhlmann, C.R.W.


Walkowska, A., Bądzynska, B., Kompanowska-Jezierska, E., Johns, E.J. & Sadowski, J. Effects of renal nerve stimulation on intrarenal blood flow in rats with intact or inactivated NO synthases, 99

Author index

Walther, S. *see* Kuhlmann, C.R.W.
Wensaas, A.J. *see* Aas, V.
Wiecha, J. *see* Kuhlmann, C.R.W.
Williams, M.T. *see* Aravindan, N.

Yahata, T. *see* Nakagaki, I.
Yaspelkis III, B.B. *see* Bernard, J.R.
Yi, H.K. *see* Kim, J.C.
Yoon, J.S. *see* Kim, J.C.

Zhang, Q. *see* Sandberg, M.
Zierath, J.R., Handberg, A. & Jensen, J. Foreword, 1
Zierath, J.R. *see* Sörgård, P.
Zorzano, A., Palacin, M. & Gumià, A. Mechanisms
regulating GLUT4 glucose transporter expression and
glucose transport in skeletal muscle, 43



Subject index

acid, 211
adipocytes, 75
adrenaline, 263
aerobic exercise, 201
ageing, 291
air velocity, 241
Akt 2 kinase, 357
aldosterone, 309
angiogenesis, 389
animals, 211
aPKC- ζ/ζ kinase, 357
apoptosis, 75
architecture, 291

blood flow, 231, 257, 335
blood glucose, 107
blood pressure, 309
BQ-788, 161
bradycardia, 107
brown adipocyte, 89
brown adipocytes, 59

caesium, 321
calcitonin gene-related peptide, 263
calcium-activated potassium channel, 161
catecholamines, 13
c-Cbl tyrosine phosphorylation, 357
c-Cbl, 357
cell proliferation, 161
cold acclimation, 89, 117
cold environment, 389
cold-induced vasodilatation, 117
Colitis, 191
confocal laser-scanning microscope, 89
consumption, 231
contractile properties, 117
contraction, 133
coronary circulation, 151
cyclic AMP, 263

dehydration, 241
depolarization, 263
diabetes, 3
diabetes mellitus, 43, 107
diet restriction, 281
dynamic exercise, 345
dyslipidaemia, 75

electrical shocks, 263
electromyography, 379
electroporation, 263
endothelial function, 151
endothelin, 161
endothelium, 161
evaporation, 241
evoked force, 117
exercise, 43, 241, 273

fatigue, 181
fatty acid synthase, 59
ferret, 211
ferrets, 211
fibre types, 133
food restriction, 281
free fatty acids, 75

gastro-oesophageal reflux, 211
gene expression, 43, 367
glucocorticoids, 13, 201
glucose disposal, 345
glucose turnover, 13
glucose-transporter 4, 299
GLUT4, 59, 357
growth, 219
growth and differentiation factor 8, 299
growth arrest and DNA damage-inducible 45, 171

hand, 117
heart and skeletal muscles, 389
heat storage, 241
hexokinase II, 299
hexosamine, 281
histochemistry, 133
human biceps branchii muscle, 379
hydroxyacyl-CoA dehydrogenase, 299
hyperglycaemia, 31
hyperoxaemia, 231
hyperoxia, 231
hyperthermia, 181
hypoxaemia, 219
hypoxia, 367

iberiotoxin, 161
insulin, 13, 31, 107
insulin receptor substrate, 59
insulin resistance, 31, 43, 59, 281, 345
interferon- γ , 191
intrarenal circulation, 99
ion transport, 321
IRS, 3
ischaemia, 151, 367

JNK, 171

lactate dehydrogenase, 263
larynx, 133
lipid metabolism, 31
lipolysis, 13
LY294002, 3
lymphocytes, 201

mechanomyography, 379
membrane potentials, 211
mice, 201, 309
microarray analysis, 367
mifepristone, 201

mitochondria, 273
 mitochondrial Ca^{2+} , 89
 mitochondrial membrane potential, 89
 muscle, 133
 muscle blood perfusion, 335
 muscle metabolites, 181
 myosin, 133
 myotubes, 31

Na,K -ATPase, 321
 Na^+,K^+ -ATPase, 191
 near-infrared spectroscopy, 379
 nitric oxide, 151, 211, 257
 nitric oxide synthase, 211
 nitric oxide synthase inhibitors, 99
 non-invasive, 335

obesity, 43
 oesophagus, 211
 oesophagus/physiology/physiopathology, 211
 O-GlcNAc ylation, 281
 omental fat, 13
 oxidative stress, 201
 oxygen, 231

p53, 171
 p110, 3
 p85, 3
 p38 MAPK, 171
 palmitate, 31
 pancreas, 257
 pancreatic islets, 257
 penetration depth, 335
 photoplethysmography, 335
 PI 3-kinase, 3, 357
 poly(ADP-ribose) polymerase, 171
 polyethylene glycol, 201
 potential difference, 211
 pregnancy, 219
 PTEN, 3
 PtO_2 , 367
 PUGNAc, 281

rats, 309
 recovery, 379
 renal blood flow, 257
 renal medulla, 99
 renal nerves, 99
 renin-angiotensin system, 309
 reperfusion, 151
 rhodamine123, 89
 rosiglitazone, 59

salbutamol, 263
 sarcopenia, 291
 signalling, 13
 skeletal muscle, 367
 skin blood perfusion, 335
 skin temperature, 117
 sprint performance, 181
 static work, 345
 statins, 151
 subcutaneous fat, 13
 suppressors of cytokine signalling-3, 3
 swimming, 299

thermogenesis, 389
 thermoregulation, 241
 training, 273
 transforming growth factor- α , 59

uncoupling protein, 273
 uncoupling protein-1, 59

vascular smooth muscle cells, 75
 vasoconstriction, 231
 VEGF protein and mRNA, 389
 ventilation, 107
 visceral fat, 13
 voluntary contraction, 379

water immersion, 389
 wortmannin, 3

X-ray microanalysis, 89

